REPORT DOCUM_NTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathening and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this turden to Department of Detense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OME Company. PLEASE DO NOT BETTIEN VOLTE FORM TO THE AROUS ADDRESS.

1. REPORT DATE (DD-MM-YYY		
11/06/2007	2. REPORT TYPE	3. DATES COVERED (From - To) 1/03/06-30/11/06
4. TITLE AND SUBTITLE		52. CONTRACT NUMBER
Realization of New and Enhanced Materials Properties Through		5b. GRANT NUMBER FA9550-06-1-0042
		5c. PROGRAM ELEMENT NUMBER
Namostructurar Control		
6. AUTHOR(S)		5d. PROJECT NUMBER
		Se, TASK NUMBER
Larry Dalton and Bruce I	Cobinson	SE. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATIO	N NAME(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT NUMBER
University of Washington		
Department of Chemistry		
Box 351700		
Seattle, WA 98195-1700	AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
Dr. Charles Y-C. Lee		
875 N. Randolph Street, Suite	325,	
Room 3112		11. SPONSOF/MONITOR'S REPORT
Arlington, VA 22203-1954		NUWAFRL-OSR-VA-TR-2013-1038
12. Distribution / AVAILABILITY Distribution Statement	A: Approved for public release. Distri	bution is unlimited.
		bution is unlimited.
Distribution Statement A 13. SUPPLEMENTARY NOTES 14. ABSTRACT	A: Approved for public release. Distri	
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-D atomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients a	A: Approved for public release. Distribution of reaction of reaction of public release. Provide the state of	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients aloss (< 2 dB/cm) and good	FT with explicit consideration of reaction of reaction of prediction of	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical on temperatures > 200°C). First principles
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients a loss (< 2 dB/cm) and good simulation of electro-optic	FT with explicit consideration of reactive decular Dynamics) methods have been us, electro-optic binary chromophore orgs high as 450 pm/V (15 times lithium not thermal stability (material glass transitivactivity has been achieved for the first the stability of	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ranic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical con temperatures > 200°C). First principles time and theoretical conclusions have been
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-D atomistic Monte Carlo/Molelectroactive materials (e.g electro-optic coefficients a loss (< 2 dB/cm) and good simulation of electro-optic verified by a number of ne	FT with explicit consideration of reactivity has been activity has been activity has been activity has been achieved for the first two measurement techniques including fe	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical ion temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients aloss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate	FT with explicit consideration of reaction of reaction of prediction of reaction of prediction of pr	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical con temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh rism for measurements at 1.3 and 1.55 microns
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients aloss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate	FT with explicit consideration of reactivity has been activity has been activity has been activity has been achieved for the first two measurement techniques including fe	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical con temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh rism for measurements at 1.3 and 1.55 microns
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients aloss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate wavelength, polarized absorbance of the scattering (HRS) attenuate wavelength (HRS) attenu	FT with explicit consideration of reaction of reaction of prediction of reaction of prediction of pr	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical con temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh rism for measurements at 1.3 and 1.55 microns
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-D atomistic Monte Carlo/Morelectroactive materials (e.gelectro-optic coefficients a loss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate wavelength, polarized absolute.	FT with explicit consideration of reaction of reaction of prediction of	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical ion temperatures > 200°C). First principles time and theoretical conclusions have been mutosecond, wavelength-agile hyper Rayleigh trism for measurements at 1.3 and 1.55 microns el resolution techniques.
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients aloss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate wavelength, polarized absorbes Subject Terms Organic electro-optic mate	FT with explicit consideration of reactive decular Dynamics) methods have been used, electro-optic binary chromophore organish as 450 pm/V (15 times lithium in thermal stability (material glass transitive activity has been achieved for the first with measurement techniques including feed total reflection (ATR) using a rutile porption spectroscopy, and molecular leverals, pseudo-atomistic Monte Carlo cal	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical con temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh rism for measurements at 1.3 and 1.55 microns
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients aloss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate wavelength, polarized absorbes Subject Terms Organic electro-optic mate	FT with explicit consideration of reaction of reaction of reaction of present of the cular Dynamics) methods have been used, electro-optic binary chromophore organism in the stability (material glass transition activity has been achieved for the first of the wind measurement techniques including feed total reflection (ATR) using a rutile porption spectroscopy, and molecular leverals, pseudo-atomistic Monte Carlo calerials, electro-optic devices	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical ion temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh rism for measurements at 1.3 and 1.55 microns el resolution techniques. culations, time-dependent density functional
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients a loss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate wavelength, polarized absolute the second of the	FT with explicit consideration of reactive decular Dynamics) methods have been used, electro-optic binary chromophore organish as 450 pm/V (15 times lithium in thermal stability (material glass transitive activity has been achieved for the first with measurement techniques including feed total reflection (ATR) using a rutile porption spectroscopy, and molecular leverals, pseudo-atomistic Monte Carlo calerials, electro-optic devices 17. LIMITATION OF ABSTRACT	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical con temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh rism for measurements at 1.3 and 1.55 microns el resolution techniques. culations, time-dependent density functional 18. NUMBER 19a. NAME OF RESPONSIBLE PERSON OF PAGES
Distribution Statement 2 13. SUPPLEMENTARY NOTES 14. ABSTRACT Improved quantum (TD-Datomistic Monte Carlo/Molelectroactive materials (e.gelectro-optic coefficients a loss (< 2 dB/cm) and good simulation of electro-optic verified by a number of nescattering (HRS), attenuate wavelength, polarized absolute Subject Terms Organic electro-optic mate heory, nanostructured mate	FT with explicit consideration of reactive decular Dynamics) methods have been used, electro-optic binary chromophore organish as 450 pm/V (15 times lithium in thermal stability (material glass transitive activity has been achieved for the first with measurement techniques including feed total reflection (ATR) using a rutile porption spectroscopy, and molecular leverals, pseudo-atomistic Monte Carlo calerials, electro-optic devices 17. LIMITATION OF ABSTRACT	on fields) and statistical mechanical (pseudo- used to guide the design of novel new organic ganic glasses). These new materials have yielded iobate) with auxiliary properties of modest optical ion temperatures > 200°C). First principles time and theoretical conclusions have been mtosecond, wavelength-agile hyper Rayleigh rism for measurements at 1.3 and 1.55 microns el resolution techniques. culations, time-dependent density functional

REALIZATION OF NEW AND ENHANCED MATERIALS PROPERITES THROUGH NANOSTRUCTURAL CONTROL

Larry R. Dalton and Bruce H. Robinson, Departments of Chemistry & Electrical Engineering, University of Washington, Seattle, WA 98195-1700

FA9550-06-1-0042

Photonic/electronic integration to achieve dramatic SWaP (size, weight, and power) and specific performance improvements (e.g., Gain in RF photonic applications, bandwidth, detector sensitivity, etc.) is seen as increasingly important for emerging defense systems. Organic materials are among the most promising candidates for such integration; however, their utilization is well-recognized to depend on improvement of specific properties (e.g., optical nonlinearity, photostability, etc.). With support from AFOSR (FA9550-06-1-0042), we have achieved dramatic improvements (exceeding a Moore's Law rate) in the optical nonlinearity and auxiliary properties of organic polymeric and dendritic materials. This has been accomplished through use an integrated Real-Time, Time-Dependent Density Functional Theory (RTTDDFT) and Pseudo-Atomistic Monte Carlo/Molecular Dynamics (PAMCMD) approach to gain an quantitative understanding of molecular and macroscopic optical nonlinearity, molecular organization defining lattice symmetry (order parameters), reaction fields (dielectric permittivity and index of refraction properties), and physical properties such as density and material glass transition temperatures. Theory-guided nano-engineering of polymer and dendrimer materials has led to new classes of materials (e.g., Binary Chromophore Organic Glasses, BCOGs) exhibiting dramatic improvements in electro-optic activity, optical transparency, photostability, and thermal stability and has facilitated the introduction of new device concepts (e.g., integration of organic nonlinear optical materials into nano-slot silicon photonic waveguides). Hallmark achievements include realization of electro-optic activity of greater than 300 pm/V in thin films (exhibiting good stability and low optical loss) and approaching 200 pm/V in devices; production of all-organic and organic/silicon photonic electro-optic devices exhibiting drive (V_{π}) voltages on the order of 0.25 V; observation of optical rectification (photodetection) with microto-milliwatt optical powers; and demonstration of all-optical signal processing to 5 THz using micro-to-milliwatt optical control powers. Beyond specific device related improvements, the broad understanding of the intra and intermolecular interactions that define the physical properties of polymer and dendrimer materials has been advanced. In addition to theoretical advances, new diagnostic technologies are being developed that permit direct measurement of electrostatic interactions among components of multi-components materials (composites, multidendrimer/polymer supra/supermolecular materials). The broader understanding of electroactive polymer and dendrimer materials is relevant to the nano-engineering of improved organic light emitting device, electronic, photovoltaic, and photorefractive materials and to optimizing not only polarizability and hyperpolarizability (nonlinear optical properties) but also to optimizing charge transport and injection (extraction) relevant to electronic performance.

Contract/Grant Title: Realization of New and Enhanced Materials Properties Through

Nanostructural Control

Contract; Grant #: FA9550-06-1-0042

Report Period: 1 March 2006 to November 30, 2006

Annual accomplishments (200 words max): Improved quantum (TD-DFT with explicit consideration of reaction fields) and statistical mechanical (pseudo-atomistic Monte Carlo/Molecular Dynamics) methods have been used to guide the design of novel new organic electroactive materials (e.g., electro-optic binary chromophore organic glasses). These new materials have yielded electro-optic coefficients as high as 450 pm/V (15 times lithium niobate) with auxiliary properties of modest optical loss (< 2 dB/cm) and good thermal stability (material glass transition temperatures > 200°C). First principles simulation of electro-optic activity has been achieved for the first time and theoretical conclusions have been verified by a number of new measurement techniques including femtosecond, wavelength-agile hyper Rayleigh scattering (HRS), attenuated total reflection (ATR) using a rutile prism for measurements at 1.3 and 1.55 microns wavelength, polarized absorption spectroscopy, and molecular level resolution techniques. The paradigm of using custom-designed intermolecular electrostatic interactions to enhance the acentric order of dipolar chromophores has also been verified by applying laser-assisted poling techniques to binary chromophore organic glasses containing azobenzene chromophores.

Archival publications (published during reporting period):

- P. M. Wallace, D. R. B. Sluss, L. R. Dalton, B. H. Robinson, and P. J. Reid, "Single-Molecule Microscopy Studies of Electric-Field Poling in Chromophore-Polymer Composite Materials," J. Phys. Chem. B 110, 75, 2006.
- P. A. Sullivan, A. J. P. Akelaitis, S. K. Lee, G. McGrew, S. K. Lee, D. H. Choi, and L. R. Dalton, ""Novel Dendritic Chromophores For Electro-optics: Influence of Binding Mode and Attachment Flexibility on EO Behavior," Chem. Mater. 18, 344, 2006.
- 3. Yi Liao, Kimberly A. Firestone, Sanchali Bhattacharjee, Jingdong Luo, Marnie Haller, Steven Hau, Cyrus A. Anderson, David Lao, Bruce E. Eichinger, Bruce H. Robinson, Philip J. Reid, Alex K. Y. Jen, and Larry R. Dalton, "Linear and Nonlinear Optical Properties of a Macrocyclic Trichromophore Bundle with Parallel-Aligned Dipole Moments," J. Phys. Chem. B 110, 5434, 2006.
- Yi Liao, Cyrus A. Anderson, Philip A. Sullivan, Andrew J. P. Akelaitis, Bruce H. Robinson, and Larry R. Dalton, "Electro-Optical Properties of Polymers Containing Alternating Nonlinear Optical Chromophores and Bulky Spacers," Chem. Mater. 18, 1062, 2006.
- 5. F. Kimura, G. Khalil, N. Zettsu, Y. Xia, J. Callis, M. Gouterman, L. Dalton, D. Dabin, and M. Rodriguez, "Dual Luminophore Polystyrene Microspheres for Pressure-Sensitive Luminescent Imaging," *Meas. Sci. Technol.* 17, 1254, 2006.
- 6. Y. Liao, S. Bhattacharjee, K. A. Firestone, B. E. Eichinger, R. Paranji, C. A. Anderson, B. H. Robinson, P. J. Reid, and L. R. Dalton "Antiparallel-Aligned Neutral-Ground State

- and Zwitterionic Chromophores as a Nonlinear Optical Material," J. Am. Chem. Soc. 128, 6847, 2006.
- 7. H. Sun, A. Pyajt, J. Luo, Z. Shi, S. Hau, A. Jen, L. R. Dalton, and A. Chen, "Broadband Electric Field Sensor with Electro-Optic Polymer Micro-Ring Resonator on Side-Polished Optical Fiber," *Proc. SPIE* 6117, 611713 1, 2006.
- S. H. Jang, J. Luo, N. M. Tucker, A. Leclercq, E. Zojer, M. A. Haller, T. D. Kim, J. W. Kang, K. Firestone, D. Bale, D. Lao, J. B. Benedict, D. Cohen, W. Kaminsky, B. Kahr, J. L. Bredas, P. Reid, L. R. Dalton, and A. K. Y. Jen, "Pyrroline Chromophores for Electro-Optics," Chem. Mater. 18, 2982, 2006.
- L. R. Dalton, "Organic Electro-Optic Materials," in Handbook of Conducting Polymers,
 T. Skotheim and J. Reynolds, eds. (CRC Press/Marcel Dekkar, Boca Raton, 2006) Chap.
 pp. 229-267.
- L. R. Dalton, A. K. Y. Jen, P. Sullivan, B. Eichinger, B. H. Robinson, and A. Chen, "Theoretically-Inspired Rational Design of Electro-Optic Materials," Nonlinear Optics and Quantum Optics 35, 1, 2006.
- J. Westphal, A. Chen, N. Burt, L. Lin, L. Dalton, J. Luo, A. K. Y. Jen, "Pulse Poling of High Performance Nonlinear Chromophores in Polymers," *Proc. SPIE* 6331, 63310H1, 2006.
- 12. L. R. Dalton, Y. Liao, P. Sullivan, and B. H. Robinson, "Theoretically-Inspired Nanoengineering of Complex Photonic Media," *Proc. SPIE* 6320, 63200G1, 2006.
- 13. A. Akelaitis, P. Sullivan, J. Sinness, S. Hammond, Y. Liao, R. Lawson, J. Takayesu, B. Eichinger, H. Rommel, B. Robinson, and L. R. Dalton, "Recent Advances in Organic Electro-Optic Materials for Ring Micro-resonators and Optical Modulation," *Proc. SPIE* 6101, 61010S1, 2006.
- P. J. Reid, P. M. Wallace, D. R. B. Sluss, L. R. Dalton, and B. H. Robinson, "Single-Molecule Microscopy Studies of Electric-Field Poling in Chromophore-Polymer Composite Materials," Proc. SPIE 6331, 63310K1, 2006.
- L. R. Dalton, P. Sullivan, and A. K. Y. Jen, "Second and Third Order Nonlinear Optical Materials," <u>Handbook of Photonics</u>, 2nd <u>Edition</u>, M. C. Gupta and J. Ballato, eds. (CRC Press, Boca Raton, 2006).
- M. J. Cho, S. K. Lee, J. I. Jin, D. H. Choi, and L. R. Dalton, "Electro-Optic Property of Chromophore-Terminated Trifunctional Dendrimer in a Guest-Host System," *Thin Solid Films* 515, 2303, 2006.

Changes in research objectives, if any: None

Change in AFOSR program manager, if any: None

Extensions granted for milestones slipped, if any: None